Netherlands Journal of Agricultural Science

Volume 26(1978)

Editorial Board:
Dr Ir J. P. van den Berg
Ir J. G. P. Dirven

Copy Editor:
D. G. van der Heij

Author index

Arkel, H. van, Leaf area determinations in sorghum and maize by the length-width method 170
Arkel, H. van, The forage and grain yield of sorghum and maize as affected by soil moisture conservation, lodging and harvesting losses 181
Arkel, H. van, Fertilizer response of cold-tolerant sorghums under semi-arid high-altitude conditions 312
Baër, J. & L. Smeets, Effect of relative humidity on fruit set and seed set in pepper (*Capsicum annuum* L.) 59
Baër, J., see Kho, Y. O. 106
Bennekom, J. L. van, see Meer, Q. P. van der 41
Bie, S. W., A. F. van Holst & J. N. M. Stricker, Computer-aided estimates of drainage charges – A Dutch case study 278
Bodlaender, K. B. A., see Marinus, J. 354
Boerboom, B. W. J., A model of dry matter distribution in cassava (*Manihot esculenta* Crantz) 267
Boone, F. R., J. Bouma & L. A. H. de Smet, A case study on the effect of soil compaction on potato growth in a loamy sand soil. 1. Physical measurements and rooting patterns 405
Boonman, J. G., Herbage quality in Rhodes grass (*Chloris gayana* Kunth). 1. The effect of heading date on intra-variety variation in yield and digestibility in vitro 304
Boonman, J. G., Herbage quality in Rhodes grass (*Chloris gayana* Kunth). 2. Intra-variety variation in yield and digestibility of plants of similar heading date 337
Boswinkel, J. A., see Rogaar, H. 145
Braak, J. P., The effect of flowering date and temperature on embryo development in sweet cherry (*Prunus avium* L.) 13
Bouma, J, see Boone, F. R. 405
Bouma, J., see Loon, C. D. van 421
Custers, J. B. M., Plantlet formation from internode bases of carnation (*Dianthus caryophyllus* L.) in vivo – useful to mutation breeding or not? 31
Darwinkel, A., Patterns of tillering and grain production of winter wheat at a wide range of plant densities 383
Dorsman, C., Foreword (to No 1) 1
Drijfhout, E., Inheritance of temperature-dependent string formation in common bean (*Phaseolus vulgaris* L.) 99
Dubois, Lidwien A. M., see Vries, D. P. de 399
Eenink, A. H. & L. Smeets, Genotype x environment interactions with lettuce (*Lactuca*

L.) in relation to the development of genotypes for growing under poor energy conditions 81
Eenink, A. H. & A. L. J. Vereyken, Induction of male sterility in lettuce (*Lactuca sativa* L.) with GA_3; influence of temperature and GA_3 concentration 45
Ellen, J., see Spiertz, J. H. J. 210
Garretsen, Frida, see Nieuwhof, M. 76
Geurink, J. H., see Kemp, A. 161
Goudriaan, J. & H. H. van Laar, Calculation of daily totals of the gross CO_2 assimilation of leaf canopies 373
Griffioen, H., see Visscher, G. J. W. 366
Haar, H. van de, see Spiertz, J. H. J. 233
Holst, A. F. van, see Bie, S. W. 278
Jong, J. de, Selection for wide temperature adaptation in *Chrysanthemum morifolium* (Ramat.) Hemsl. 110
Jongmans, A. G., see Slager, S. 326
Kemp, A. & J. H. Geurink, Grassland farming and minerals in cattle 161
Kho, Y. O. & J. Baër, Improvement of flowering in *Calceolaria* by cold treatment and selection 106
Koolen, A. J., The influence of a soil compaction process on subsequent soil tillage processes. A new research method 191
Kouwenhoven, J. K., Ridge quality and potato growth 288
Kupers, L. J. P., see Scholte, K. 250
Laar, H. H. van, see Goudriaan, J. 373
Leeuwen, C. H. van, see Visscher, G. J. W. 366
Loon, C. D. van & J. Bouma, A case study on the effect of soil compaction on potato growth in a loamy sand soil. 2. Potato plant responses 421
Marinus, J. & K. B. A. Bodlaender, Growth and yield of seed potatoes after application of gibberellic acid to the tubers before planting 354
Marrewijk, N. P. A. van & D. L. Visser, The effect of relative humidity on incompatibility and fertility in *Brassica oleracea* L. 51
Matsuda, M., see Ryhiner, A. H. 200
Meer, Q. P. van der & J. L. van Bennekom, Effect of temperature on sex expression in onion (*Allium cepa* L.) 41
Miedema, R., see Slager, S. 326
Mutsaers, H. J. W., Mixed cropping experiments with maize and groundnuts 344
Nieuwhof, M., The effect of temperature on growth and development of cultivars of radish (*Raphanus sativus* L. var. *radicula* Pers.) under summer conditions 68
Nieuwhof, M. & Frida Garretsen, Breeding for early root thickening of radish (*Raphanus sativus* L. var. *radicula* Pers.) under poor light conditions. 1. Performance of F_1 half-sib families at different temperatures in late autumn 76
Pons, L. J., see Slager, S. 326
Ponti, O. M. B. de, The influence of temperature and light on parthenocarpy in pickling cucumbers (*Cucumis sativus* L.) 64
Rodrigues Pereira, A. S., Effects of leaf removal on yield components in sunflower 133
Rogaar, H. & J. A. Boswinkel, Some soil morphological effects of earthworm activity; field data and X-ray radiography 145
Ryhiner, A. H. & M. Matsuda, Effect of plant density and water supply on wheat production 200
Scholte, K. & L. J. P. Kupers, The causes of the lack of self-tolerance of winter rye, grown on light soils. 2. Influences of phytotoxins and soil microflora 250
Slager, S., A. G. Jongmans, R. Miedema & L. J. Pons, Fossil and recent soil formation in Late Pleistocene loess deposits in the southern part of the Netherlands 326
Smeets, L., Bibliography up to 1977 on research with the IVT phytotron 2
Smeets, L., The phytotron of the Institute for Horticultural Plant Breeding (IVT), Wageningen, the Netherlands. A revision of previous descriptions 8

Smeets, L., see Baër, J. 59
Smeets, L., see Eenink, A. H. 81
Smeets, L., see Vries, D. P. de 119, 128, 399
Smet, L. A. H. de, see Boone, F. R. 405
Spiertz, J. H. J. & J. Ellen, Effects of nitrogen on crop development and grain growth of winter wheat in relation to assimilation and ultilization of assimilates and nutrients 210
Spiertz, J. H. J. & H. van de Haar, Differences in grain growth, crop photosynthesis and distribution of assimilates between a semi-dwarf and a standard cultivar of winter wheat 233
Stricker, J. N. M., see Bie, S. W. 278
Vereyken, A. L. J., see Eenink, A. H. 45
Visscher, G. J. W., H. Griffioen & C. H. van Leeuwen, Investigation on a diffusion porometer with a fast humidity sensor 366
Visser, D. L., see Marrewijk, N. P. A. van 51
Vries, D. P. de & L. Smeets, Hybrid Tea-roses under controlled light conditions. 1. The effect of the level of irradiance on the growth and development of seedlings 119
Vries, D. P. de & L. Smeets, Hybrid Tea-roses under controlled light conditions. 2. Flowering of seedlings as dependent on the level of irradiance 128
Vries, D. P. de, Lidwien A. M. Dubois & L. Smeets, Hybrid Tea-roses under controlled light conditions. 3. Flower and blind shoot production in the glasshouse of seedlings selected for flowering or flower bud abortion at low irradiances in a growth room 399

Subject index

This index lists the keywords given at the head of the papers. The figures refer to the first pages of papers, not to the pages on which the subjects are mentioned.

abortion 13, 119, 128, 399
adventitious bud formation 31
air humidity 59
Allium cepa 41
Allolobophora 145
apple orchard 145
available water 421
bean, common – 99
blind shoot 119, 399
Brassica oleracea 51
breeding 68, 76, 110, 337
  mutation – 31
bud formation, adventitious – 31
Calceolaria hybrid 106
calculation model 373
canopy photosynthesis 373
Capsicum annuum 59
carbohydrate 233
  – reserves 210
carbon dioxide assimilation, gross – 373
carnation 31
cassava 267
cherry, sweet – 13
Chloris gayana Kunth 304, 337
Chrysanthemum morifolium 110
cold tolerance 190, 312
cold treatment 106
common bean 99
controlled environment 8
crop density 200
crop photosynthesis 233
crop rotation 250
cucumber, pickling – 64
Cucumis sativus 64
cultivar 68
cut rose 399
daily total 373
density, crop – 200
density, plant – 383
descriptive equation 373
development 68
Dianthus caryophyllus 31
diffusive resistance 366
digestibility 312
  – in vitro 304, 337
distribution of dry matter 267
distribution of nutrients 210
drought resistance 190
dry matter distribution 267
earliness 76
earthworm activity 145
effective root zone 421
embryo abortion 13
embryo development 13

emergence 288
equations, descriptive – 373
evaporation 366
fertility, pollen – 51
fertilizer 312
flower bud 119, 128, 399
flower drop 59
flower yield 399
flowering 106, 110
– date 13
winter – 128
forage crop 181
forage quality 312
forage yield 312
fruit set 59
fruit weight 59
genetics 99
genotype x environment interaction 68, 81, 128
gibberellic acid 45, 354
gloss of the fruits 59
grain growth 210
grain number 210
grain yield 233, 312, 383
gross CO_2 assimilation 373
groundnuts 344
growth 59, 68, 288
– room 399
second – 421
– stage 337
harvest index 210, 233, 267, 383
harvest time 68
harvesting losses 190
heading date 304
herbage yield 304, 337
humidity, air – 59
humidity, relative – 51
Hybrid Tea 119, 128, 399
hybrids, *Calceolaria* – 106
in vitro digestibility 304, 337
incompatibility 51
intra-variety variation 304, 337
irradiance, low – 399
irradiance level 119, 128
juvenile period 119
Lactuca 81
– *sativa* 45
leaf and stem fractions 337
leaf angle distribution 373
leaf area 119, 133, 210
– index 170
– measurements 170
leaf number 119
leaf/stem ratio 337
length-width method 170
lettuce 45, 81
light 64, 81
– conditions 68
– intensity 76, 119
lineprinter map 278
lodging 181
loess stratigraphy 326
low irradiance 399
low light intensity 119
Lumbricus 145
magnesium 312
maize 170, 181, 344
male sterility 41, 45
Manihot esculenta Crantz 267
microflora, soil – 250
micromorphology, soil – 326
milking cow 161
mineral 161
– deficiency 161
– requirements 161
– supply 161
mixed cropping 344
model treatments 191
moisture conservation, soil – 190
moisture content, soil – 288
mortality 128
mutation breeding 31
nitrate poisoning 161
nitrogen 233, 312
– supply 210
uptake of – 250
nutrients, distribution of – 210
nutrients, uptake of – 210
onion 41
orchard, apple – 145
own roots 399
paleo-ecopedology 326
parthenocarpy 64
pedogenesis 145
pedology 405
pepper 59
petal number 119
Phaseolus vulgaris 99
phosphorus 312
photosynthesis, canopy – 373
photosynthesis, crop – 233
phytotoxin 250
phytotron 8
pickling cucumber 64
plant density 383
poisoning, nitrate – 161
polder soils 145
pollen fertility 51
porometer 366
potash 312

potato 288, 405
– quality 421
seed – 354
– yield 421
production 200
protein 233
– content 312
Prunus avium 13
pseudocompatibility 51
quality, potato – 421
radish 68, 76
Raphanus sativus var. *radicula* 68, 76
relative humidity 51
Rhodes grass 304, 337
ridge shape 288
ridge size 288
root growth 250
root/shoot ratio 267
rooting 405
rootstock 399
Rosa 119, 128, 399
rose 119, 128, 399
rye 250
second growth 421
seed potato 354
seed set 59
seed yield 304
seedling 119, 128, 399
selection 106
self-tolerance 250
semi-dwarf cultivar 233
sex expression 41
shoot age 383
shoot, blind – 119, 399
shoot length 119
soil compaction 405, 421
soil genesis 145
soil microflora 250
soil micromorphology 326
soil moisture conservation 190
soil moisture content 288
soil morphology 145
soil physical properties 191
soil physics 405
soil ripening 145
soil sterilization 250
soil temperature 288
soil tillage processes 191
soil tilth 288
sorghum 170, 181, 312
spikelet number 383
sterilization, soil – 250
string formation 99
sunflower 133
sweet cherry 13
temperature 13, 41, 64, 68, 76, 81, 99, 110
soil – 288
tillage 405
soil – processes 191
tiller survival 383
tilth, soil – 288
transpiration 366
tuber treatment 354
uptake of nitrogen 250
uptake of nutrients 210
variation, intra-variety – 304, 337
water, available – 421
water drainage charge 278
water supply 200
weight, fruit – 59
wheat 200
winter – 210, 233, 383
winter flowering 128
winter variety 399
winter wheat 210, 233, 383
X-ray radiography 145
yield 288
– components 133, 383
flower – 399
forage – 312
grain – 233, 312, 383
herbage – 304, 337
potato – 421
seed – 304